



Dear Customer,

In this catalogue you will find our extensive range of curtain tracks and Roman blinds kits, both manual and motorised, as well as a list of coordinating accessories. Each track and kit comes with a list of unique specifications to ensure you are choosing the appropriate product. Each catalogue comes with a corresponding separate trade price list, allowing you to use your catalogue as a brochure with your customer and assist in the decision-making.

Corcoran Window Furnishings was founded in 1976 by Nuala and Gerry Corcoran. Starting from humble beginnings, and through hard work and dedication, the company has evolved into a national wholesale company providing retailers, designers and architects with all their window furnishing needs.

In the early 2000's we were the first company to introduce the Roman blind kit to the Irish market, single-handedly transforming how windows were covered. Over the last 25 years, we have continued to develop and adapt our designs and specifications to ensure we are brining you the latest styles and technologies at a competitive price.

In 2012 their daughter Madeleine rejoined the company. Madeleine, a qualified Interior Architect spent 5 years working in the design field on mid to large sized design projects in both the UK and Australia before returning to Ireland with this valuable knowledge and experience, to work alongside her parents in the family business.

In 2021 Madeleine stepped into her parent's shoes and started managing the company as CEO.

Now in 2024, we continue to bring you a specialised service in all aspects of curtain tracks and roman blind kits. We have recently expanded our motorised collection to 5 different ranges in 15 different colours. We continue to master our bending techniques while also adding to our 'CIRCLE' range, our environmental range of curtain tracks, in line with the EU's Circular Economy.

CWF BY NUMBERS

OVER

150

Different Curtain Tracks & Kits OVER

Different fabric collections

Nearly

1,500

Trade customers in Ireland, UK & Europe.

OVER

8,000

Orders dispatched every year



Gerry Corcoran



Nuala Corcoran



Madeleine Corcoran



CONTACT US / WE ARE HERE TO SERVE YOU

Make your order Online, by phone or email.

Questions or comments +353 (0) 44 9371038



Quotations and orders sales@cwf.ie



More information at www.cwf.ie



Corcoran Window Furnishings Ltd Multyfarnham Co. Westmeath, N91 EDE6

CWF TRACKS

We work closely with some of the Europe's leading manufacturers to design and source products focused on quality, availability and cost. From our own manufacturing facilities in the midlands we provide made-to-measure services on all our track systems as well as curtain, voile and panel track make-up services.

CONTENTS

CURTAIN TRACKS

CHILD SAFETY

3 Child Safety for Curtain Tracks

CURTAIN TRACKS

| 5 | 0521 | Hand Drawn |
|-----|-------------------|-----------------------|
| 8 | 1005 | Hand Drawn |
| 11 | 1019 | Hand Drawn |
| 14 | 1020 | Cord Drawn |
| 14 | 1020 | Electric Motor |
| 14 | 1020 | Battery Motor |
| 18 | 1021 | Hand Drawn |
| 21 | 1100 | Hand Drawn |
| 25 | 1300 | Cord Drawn |
| 29 | 1400 | Cord Drawn |
| 32 | 1500 | Recessed / Hand Drawr |
| 35 | 2005 | Hand Drawn |
| 40 | 2300 | Hand Drawn |
| 44 | 541 | Recessed / Hand Drawr |
| 46 | 5001 | Hand Drawn |
| 49 | 5001 Suspended | Hand Drawn |
| 54 | 5408 / 3 Way Draw | Hand Drawn |
| 57 | 6220 | Hand Drawn |
| 57 | 6220 | Cord Drawn |
| 61 | 8061 Hotel | Hand Drawn |
| 64 | 8062 Hotel | Hand Drawn |
| 67 | 9001 | Hand Drawn |
| 67 | 9001 | Cord Drawn |
| 74 | 9001 Cubicle | Hand Drawn |
| 77 | 9111 | Hand Drawn |
| 80 | 9920 | Hand Drawn |
| 83 | 9930 | Hand Drawn |
| 86 | Deco 1020 | Hand Drawn |
| 86 | Deco 1020 | Battery Motor |
| 86 | Deco 1020 | Electric Motor |
| 92 | Double T | Hand Drawn |
| 95 | Extendible | Cord Drawn |
| 98 | Panel Track | Hand Drawn |
| 98 | Panel Track | Cord Drawn |
| 102 | Project | Battery Motor |
| 105 | Glydea / Irismo | Electric Motor |
| 110 | Techno 30 | Hand Drawn |
| 110 | Techno 30 | Cord Drawn |
| 110 | Techno 30 | Battery Motor |
| 110 | Techno 30 | Electric Motor |
| | | |

ARCHED / BAY / RODS

| 118 | Jago rod |
|-----|--------------------------|
| 119 | Arched window track |
| 121 | Extendible valance track |
| 122 | 20mm Spring tension rod |

ACCESSORIES

| 123 | Draw rods |
|-----|-----------|
| 125 | Gliders |
| 129 | Brackets |

ROMAN BLINDS HEADRAILS

CHILD SAFETY

| 136 | Child Safety for Curtain |
|-----|--------------------------|
| 130 | Child Safety for Curtain |

ROMAN BLIND KITS

| 140 | Deluxe | Chain Drawn |
|-----|--------|----------------|
| 142 | 2009 | Chain Drawn |
| 145 | 2009 | Crank Drawn |
| 148 | 2009 | Electric Drawn |
| 148 | 2009 | Battery Drawn |
| 152 | 2012 | Electric Drawn |
| 152 | 2012 | Battery Drawn |
| 155 | Danish | Electric Drawn |
| 155 | Danish | Battery Drawn |

PELMETS

| 158 | 63mm Pelmet |
|-----|--------------|
| 158 | 89mm Pelmet |
| 158 | 127mm Pelmet |

ACCESSORIES

| 160 | Chain | |
|-----|-------|--|
| | | |
| | | |

| 164 | Important information |
|-----|-----------------------|
| 165 | Terms & Conditions |





CHILD SAFETY - CORD DRAWN TRACKS

Making window dressings safer for homes and infants is an integral part of our philosophy, so we have developed a risk assessment for Cord Drawn Curtain Tracks. Each track system comes complete with safety labels, devices and instructions.

OPERATING CORDS

All cord drawn window dressings pose a potential risk to cause strangulation or entrapment for children. Current Child Safety Legislation does not include Corded Curtain Tracks so CWF Ltd. have developed a Curtain Track Cords Risk Assessment to reduce the associated risks.

Hand-drawn or motorised curtain tracks have no operational cords for children to get tangled in, therefore minimising the risk of strangulation and making them a much safer option than cord operated curtain tracks.

All CWF made-to-measure cord drawn curtain tracks are supplied with a cord tensioner device as standard and extendible curtain tracks are supplied with a Child Safety P-Clip device. Either device can be used to secure a curtain cord close to the wall, however it should be noted that a cord tensioner operates with a spring to keep the cord in tension, allowing for ease of use when opening and closing curtains.

Unlike window blind systems, there is no breakaway option available for curtain track cords. Therefore, referring to standards IS EN 13120:2014 and EN16433 for guidance, the recommended height for securing the cord is \geq 150cm from the floor. At this height, however, it may be extremely difficult to operate the curtain track because of the force required.

SCENARIO 1: ≥150CM FROM FLOOR

A curtain track cord can be secured no less than 150cm from the floor, however, it may be extremely difficult to operate the curtain track because of the force required, depending on the weight and length of your curtains.

SCENARIO 2: ≤150CM FROM FLOOR

Secure the cord at the lowest point possible, i.e. secured to the skirting board.

Fixing the cord above the lowest point and less than 150cm from the floor increases the risk of child entanglement and strangulation.

Where no specific cord drop measurement is given, CWF Ltd will supply a 250cm cord with all Made-to-Measure cord-drawn curtain tracks. A cord drop of 250cm allows enough length for the cord to reach floor level from an above average height window, so it can be adjusted as necessary and secured at a safe level. All cords can be easily adjusted on-site to reduce risk of strangulation. Please refer to installation instructions for how-to:

- Adjust cord drops
- Fit safety devices
- Reduce risk of strangulation
- Place cord on either right or left side of track
- · Convert cord-drawn track to hand-drawn track

A free copy of CWF Risk Assessment of Curtain Track Cords is available from CWF Ltd. Please email info@cwf.ie or phone 044 9371038 for a copy.





CHILD SAFETY DEVICES - CORD DRAWN TRACKS







PLACEMENT OF CHILD SAFETY DEVICES

Secure the cord at the lowest point possible via an appropriate cord tensioner or a P-Clip. Please note that whilst this mitigates the risk, it does not eliminate the risk associated with child strangulation and entanglement. Therefore, end users must take appropriate steps to put additional controls in place to reduce the residual risk.











Warning

Young children can be strangled by loops in pull cords, chain, tapes and inner cords that operate the product.

To avoid strangulation and entanglement, keep cords and chains out of the reach of young children. Cords may become wrapped around a child's neck.

Move beds, cots and furniture away from window coverings. Do not tie cords together. Make sure cords do not twist and create a loop.

The information provide is only intended to give general and preliminary guidance on the matters and issues and should not form the basis upon which you make any decisions or conclusions regarding your rights or obligations, neither does it preclude or restrict the need for you to obtain detailed legal advice specific to your own situation and circumstances.

No warranty of any kind, whether expressed or implied by Corcoran Window Furnishings Ltd in respect of this information or as to the fitness or suitability of this information for any purpose. Corcoran Window Furnishings Ltd cannot guarantee that the standards or regulations will not be subject to change before coming into force, nor will Corcoran Window Furnishings be responsible for any errors, omissions or misleading statements. Corcoran Window Furnishings Ltd is not responsible for any loss, howsoever caused, arising directly or indirectly from reliance on this information.





HAND DRAWN CURTAIN TRACK SYSTEM

Hand drawn, slimline contract track suitable for sheers and light to medium weight curtains. Pre-drilled screw holes within channel allow for a discreet, direct ceiling mount using countersunk (3x30 Pan Head) screws. Ceiling bracket or wall bracket options also available.

FEATURES












TECHNICAL INFO



Applications : Domestic, Contract Material : Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width : 6 mm

Ext. dimensions: 15 mm x 10 mm

Length: 600cm Thickness: 1.0-1.2 mm Load: Maximum 10kg*

Recommended glider: 5721 with

silicone, 5730, 5735

0521 Standard (unless specified):

- Split draw
- Ceiling fix bracket
- · Nylon gliders

AVAILABLE COLOURS






White Silver

MOUNTING OPTIONS







560: Wall Bracket



560-D: Wall Bracket Cover

NOTE:


This track can be direct ceiling mounted, without brackets, through pre-drilled screw hole within channel.

Pre-drilled holes every 48cm.





ACCESSORIES / 0521 / HAND DRAWN



Colours:

Hook

Twist end stop with eye hook

Colours:

Curtain Stopper / Curtain Bug





HAND DRAWN CURTAIN TRACK SYSTEM

Strong and discreet, the 1005 (4mm) track is an elegant, hand drawn track with a unique advantage due to its compact size. It is small enough to allow a tilt and turn window to open when fitted within the window reveal. Available in Off-white colour with coordinating nylon fittings.

FEATURES














TECHNICAL INFO



Applications: Domestic, Contract

Use: Curtain hanging in boats, caravans etc.

 $Material: Aluminium \ alloy \ 6060/T6$

Accessories : Plastic/metal Track width : 4 mm

Ext. dimensions: 10.5mm x 14.5mm

Length: 600cm Thickness: 1.2-3 mm

 $Load: Maximum\ 12kg\ for\ 6mtr\ Length^*$

Bending: 11 cm radius

Recommended glider: 4050 with silicone,

4041, 4042


1005 Standards (unless specified):

- Split draw
- Ceiling fix bracket
- · Nylon glider

AVAILABLE COLOURS




Off-White



Colours: Transparent

ACCESSORIES / 1005 / HAND DRAWN



Colours:



Colours:









HAND DRAWN CURTAIN TRACK SYSTEM

Strong, Sophisticated and yet Minimalistic! Those are the key attributes of our NEW 1019 Hand Drawn Curtain Track System that suit both Contract and Domestic use. Compatible with our Asymmetric Gliders, this track guarantees you a smooth experience gliding your curtains! Available in two different colours with different mounting options to best fit your project. The CWF 1019 is Lightweight giving you endless customizing possibilities!

FEATURES
















TECHNICAL INFO



Applications: Domestic, Contract Use: Domestic / Contract

 $Material: Aluminium\ alloy\ 6060/T6$

Accessories: Aluminium Track width: 27.5 mm

Ext. dimensions: 27.5mm x 14.5mm

Length: 580 cm*** Thickness: 1.0 - 1.2 mmLoad: Maximum 12 kg

Recommended glider:508-0700-000, 508-

0700-002, 508-0700-004

AVAILABLE COLOURS





White

Black



ACCESSORIES / 1019 / HAND DRAWN

Box QTY: 100 pcs



1019 Curtain rail Profile 20x5.8mtrs

Colours:

Colours:

Colours:



5080124000 / 5080124000 Aluminium wall bracket white 100mm w clip




Aluminium wall bracket white 70mm w clip Colours:
















Colours:
























This multi-functional track series that can support staggering 35kg. The 1020 not only has a sleek minimalistic appearance, but is extremely durable, strong and easy to assemble. It is compatible with both standard roller gliders and wave system. This is also a fully bendable track, coming in both White and Black finishes, making it an extremely versatile solution for any interior window scheme. While cording this system you can have the cord located on either the right or left of the track at your desired length, however upgrading it to our motorised version allows you to incorporate Somfy motor for ultimate flexibility.

FEATURES


















TECHNICAL INFO



Applications : Domestic, Contract Material : Aluminium alloy 6060/T6 Accessories : Plastic/metal

Track width : 4 mm

Ext. dimensions: 20mm x 20mm

Length: 600cm Thickness: 1.0-1.2 mm Load: Maximum 35kg* Bending: 20 cm radius

Recommended glider: 4050 with silicone,


4041, 4042

AVAILABLE COLOURS












Colours:

ACCESSORIES / 1020 / BATTERY & ELECTRIC









Small End Pulley 1020 Motor

Somfy





White - 8cm Wave


Colours:




snaps

Colours:

Colours:











Aluminium wall bracket

white 100mm w clip

Colours:





Box QTY: 100 mtr

















Colours:











ACCESSORIES / 1020 / BATTERY & ELECTRIC







CONTROLS / 1020 / ELECTRIC & BATTERY



Single channel operation

Operate 1 electric roller blind (or other application) individually or a group of roller blinds simultaneously.



Multi channel operation

Operate 1 to 5 electric roller blinds (or other applications) individually or as a group. Expandable up to 16 channels with individual control.



















HAND DRAWN CURTAIN TRACK SYSTEM

Introducing our 1021 Hand Drawn Curtain Track, a sleek and durable solution for your window treatments. This fully bendable track is compatible with standard roller gliders and wave systems, available in White and Black finishes to match any interior. You can customize cord placement on either side, and it supports curtains up to 20kg. Enjoy easy assembly and versatile style with the 1021 Hand Drawn Curtain Track.

FEATURES






Wave Glider





TECHNICAL INFO



 $\begin{array}{lll} Applications: Domestic, Contract\\ Material: Aluminium alloy 6060/T6 \end{array}$

Accessories : Plastic/metal Track width : 4 mm

Ext. dimensions: 20mm x 20mm

Length: 600cm Thickness: 1.0-1.2 mm Load: Maximum 25kg* Bending: 20 cm radius

Recommended glider : 4050 with silicone,


4041, 4042

AVAILABLE COLOURS





e Black





Colours:

Colours:

ACCESSORIES / 1021 / HAND DRAWN

Colours:







100mm w clip



70mm w clip













Box QTY: 1000 pcs





Box QTY: 1000 pcs

Colours:




















Side Endcap With Scres

Colours:























HAND DRAWN CURTAIN TRACK SYSTEM

Part of our Circle Sustainable Products, The CWF 1100 CIRCAL© is a new single channel contract curtain track suitable for curved applications. The smooth curves, strong "wings" and small bending radius making it an ideal track for many applications, especially bay windows. Made out of a minimum of 75% reused aluminum post-consumer materials. The CWF 1100 CIRCAL© also features Record low CO2 footprint of 2,3 kg per kg aluminum produced, a massive 87% reduction from the global average of 18 kg. This curtain track boasts a robust weight capacity, supporting up to 12 kilograms per meter*.

FEATURES


















TECHNICAL INFO



Applications : Domestic, Contract Use : Curtain hanging, House, Office, etc. Material : Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width : 6 mm

Ext. dimensions: 16.2mm x 13.5mm

Length: 600cm Thickness: 1.0 -1.2 mm Load: Maximum 15kg* Bending: 11 cm radius

Recommended glider: 5721, 5730, 5735,

6025

1100 Standard (unless specified):

- Split draw
- Ceiling fix bracket
- · Nylon gliders

AVAILABLE COLOURS






White

Black

NEW LED LIGHT AVAILABLE





ACCESSORIES / 1100 / HAND DRAWN



Profile W 16.2mm x H 13.5mm Colours:



End Cap Colours:



Nylon Glider (10 pcs on string) Colours:












Colours:




























Box QTY: 10 pcs



















ACCESSORIES / 1100 / HAND DRAWN











BENDING TOOLS / 1100 / HAND DRAWN















Strong and elegant, the CWF 1300 cord operated track is a light to medium weight curtain track system. Mainly developed for the contract market it is superb for use in hotels, offices and residential homes. Enclosed cord channels ensure the cord does not slip out. Low friction gliders ensure a long lasting easy glide.

FEATURES












TECHNICAL INFO



Applications : Domestic, Contract Use: Hotel, Office, Residential, etc.

Control: Cord drawn Cord options : Single draw

Material: Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width: 6 mm

Ext. dimensions: 17 mm x 21.4 mm Length: 600cm

Thickness: 1.0 - 1.2 mmLoad: Maximum 15kg* Bending: 47 cm radius Recommended glider: 5721

1300 Standard (unless specified):


- Single cord RHS
- Split draw
- 250cm cord drop
- Ceiling fix bracket

AVAILABLE COLOURS



White

BENDING OPTIONS






















*If the curtain track is made with bends, the maximum weight limit will be halved.



Colours:

ACCESSORIES / 1300 / CORDED























Colours:





















*

ACCESSORIES / 1300 / CORDED















Elegant profile with same appearance on both sides for room dividing. Ideal for heavy stage curtains, conference rooms, sports halls and very heavy domestic curtains. Effortless closing of curtains up to 40kg with smooth ball bearing roller gliders and heavy-duty pulleys. Can be made up to 18m in length.

FEATURES










(TOP)

TECHNICAL INFO



Applications: Domestic, Contract

Use: Curtain Theaters, Museums, Hotels etc.

Material : Aluminium Accessories : Plastic/metal Track width : 4 mm

Ext. dimensions:23 mm x 32 mm $\,$

Length: Up to 1800 cm Thickness: 1.0-1.2 mm Load: Maximum 40 kg* Bending: 47 cm radius

Recommended glider: 490/610/100


- CWF 1400 Standard (unless specified):
- Single cord RHS
- Split draw
- 250cm cord drop
- Ceiling fix bracket
- · Wheel runner

AVAILABLE COLOURS



White

BENDING OPTIONS

















*If the curtain track is made with bends, the maximum weight limit will be halved.





ACCESSORIES / CWF 1400 / HAND DRAWN
































HAND DRAWN CURTAIN TRACK SYSTEM

CWF 1500 is a built-in rail to fit into the ceiling process and is a fully hand-drawn system. Gives a modern and extravagant look with floor-to-ceiling fabric! The CWF 1500 can also be bent and is delivered in lengths of 6 meters. Because this curtain track can be bent, you can design it to suit your needs exactly.

FEATURES












Recessed

TECHNICAL INFO



Applications: Domestic, Contract Material: Aluminium alloy 6060/T6 Accessories: Plastic/metal

Track width: 6 mm

Ext. dimensions: 20mm x 13mm

Length: 600cm Thickness: 1.2-3 mm Load: Maximum 14kg Bending: 47 cm radius

Recommended glider: 5721, 1307, 5730,

5735, 14058, 6035, 6025


1500 Track hand drawn standard:

- Split draw
- 250cm cord drop
- Ceiling fix with pre drilled holes
- Nylon glider

AVAILABLE COLOURS



Off-White



ACCESSORIES / 1500 / HAND DRAWN RECESSED
































CWF 2005

HAND DRAWN CURTAIN TRACK SYSTEM

The 2005 CIRCAL® (4 mm) Track System is a slimline, compact and elegant hand drawn track perfect for either domestic or contract projects. Available in 12 different colour options with colour coordinated nylon fittings and bracket covers, the 2005 Track System is a market leader in manual operated tracks. Made out of a minimum of 75% reused aluminum post-consumer materials. The CWF 2005 CIRCAL© also features Record low CO2 footprint of 2,3 kg per kg aluminum produced, a massive 87% reduction from the global average of 18 kg.

FEATURES









Wave Glider








Product

TECHNICAL INFO



Applications: Domestic, Contract Use: Curtain, picture hanging and shower curtain track, Voiles, Room Divide Material: Aluminium alloy 6060/T6

Accessories: Plastic/metal Track width: 4 mm

Ext. dimensions: 10.5mm x 14.5mm

Length: 600cm Thickness: 1.2 - 3 mm Load: Maximum 20kg* Bending: 11 cm radius

Recommended glider: 4050 with silicone,

4041, 4042


2005 Standards (unless specified):

- Split draw
- Ceiling fix bracket
- Nylon glider


AVAILABLE COLOURS



BENDING OPTIONS



ACCESSORIES / 2005 / HAND DRAWN





Colours:

Colours:



Colours:


















Note: Stays are available for this track.

RECYCLED ALUMINUM

The rails are extruded in Sweden by Norsk Hydro and made of Hydro CIRCAL 75R, which consists of a minimum of 75% recycled aluminum consumer scrap, with a record-low CO2 footprint.

They come in a wealth of colors with an environmentally certified powder coating from Dancolor.

We use Hydro CIRCAL 75R that contains a minimum of 75% post-consumer scrap. When guaranteeing more than 75% recycled content

- All Plastics are 100% Recycled











2005 CIRCAL ©


SLIMLINE & SUSTAINABLE CURTAIN TRACK SYSTEM

VERSATILE COLOUR OPTIONS: 12 CHOICES AVAILABLE!





SQUARE BRACKET



MADE WITH RENEWABLE RESOURCES AND LOW CO2 FOOTPRINT







Certified Eco-friendly
Traceable & Low CO2 Footprint
(DNV GL Certified)









CWF 2300

HAND DRAWN CURTAIN TRACK SYSTEM

High performance with European standard 23 mm height. Easy to install, minimalistic and functional, the 2300 Track System is a popular track for hotel contract work due to its competitive price and versatility.

FEATURES














TECHNICAL INFO



Applications : Domestic, Contract Use : Curtain and picture hanging track Material : Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width : 4 mm

Ext. dimensions: 8.3 mm x 23 mm

Length: 600cm Thickness: 1.0-1.2 mm Load: Maximum 15kg* Bending: 11 cm radius

Recommended glider: 4050 with silicone,

4041, 4042

2300 Standards (unless specified):


- · Split draw
- Ceiling fix bracket
- · Nylon glider

AVAILABLE COLOURS




Off-White

BENDING OPTIONS





ACCESSORIES / 2300 / HAND DRAWN



Colours:

Colours:



Colours:


ACCESSORIES / 2300 / HAND DRAWN















The CWF 541 motorized recessed curtain system, equipped with a stealthy recess curtain track boasting a 7mm channel, redefines convenience and elegance for both domestic and commercial settings. Designed to handle a whopping 60kg with ease, this system is built for robust performance. Featuring AutoStart technology for hands-free operation and the flexibility of hand-drawn control, the CWF 541 allows curtain openings to be central, lateral, or asymmetric at a sliding speed of 12 cm/sec. Suitable for ceiling installations, the CWF 541 seamlessly combines modern efficiency with versatile design, making it the ideal choice for those seeking a sophisticated and adaptable window treatment solution. Elevate your space with the perfect blend of cutting-edge technology and timeless elegance.

FEATURES











Ceiling Mount



Smart Home












High Performance

TECHNICAL INFO



Applications: Domestic, Contract Material: Aluminium alloy 6060/T6 Accessories: Plastic/metal

Track width: 7 mm

Ext. dimensions: 20.4mm x 29.2mm

Length: 600cm Thickness: 1.89-2.46 mm Load: Maximum 50kg*

AVAILABLE COLOURS









HAND DRAWN CURTAIN TRACK SYSTEM



CWF 5001 - DESIGNER

HAND DRAWN CURTAIN TRACK SYSTEM

The 5001 Designer (6 mm) track is a contemporary, hand drawn curtain track system suitable for both domestic and contract applications. Pair with decorative square brackets to create the ultimate modern look. Whether for light weight or heavy weight curtain solutions the CWF 5001 track has a wide variety of f lexible options. THE CWF 5001 is popular as roomdivider, for ceiling curtains and for bathrooms as well.

FEATURES
















TECHNICAL INFO



Applications : Domestic, Contract Use : Curtain hanging, Room Divideretc. Material : Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width : 6 mm

Ext. dimensions: 15 mm x 33 mm

Length: 600cm Thickness: 1.0-1.8 mm Load: Maximum 25 kg* Bending: 11 cm radius

Recommended glider: 5721, 5730, 5735,

6025

5001 Designer Standards (unless specified):

- Split draw
- Ceiling fix bracket
- · Nylon glider


AVAILABLE COLOURS







BENDING OPTIONS





ACCESSORIES / 5001 DESIGNER / HAND DRAWN









































CWF 5001 SUSPENDED

HAND DRAWN CURTAIN TRACK SYSTEM

The 5001 (6 mm) Suspended track system is developed for technical curtain solutions in hospitals and health care facilities. Whether for light weight or heavy weight curtain solutions, the cubicle track has a wide variety of flexible options. 5001 is popular as roomdivider, for ceiling curtains and for bathrooms as well.

FEATURES




















TECHNICAL INFO



Applications: Healthcare Use: Cubicle rail, Shower rail Material: Aluminium alloy 6060/T6 Accessories: Plastic/metal

Track width: 6 mm

Ext. dimensions: 15 mm x 33 mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: Maximum 15kg* Bending: 11 cm radius Recommended glider: 5739/K

5001 Suspended Standards (unless specified):

- Split draw
- Wall-to-wall brackets
- 1m Ceiling stay


AVAILABLE COLOURS







BENDING OPTIONS














*If the curtain track is made with bends, the maximum weight limit will be halved.








ACCESSORIES / 5001 SUSPENDED / HAND DRAWN



ACCESSORIES / 5001 SUSPENDED / HAND DRAWN




SEE NEXT PAGE FOR 5001 ANTILIGATURE ACCESSORIES





CWF 5001 ANTI-LIGATURE

ACCESSORIES







CWF 5408 MULTI CHANNEL NARROW / 3-WAY

HAND DRAWN CURTAIN TRACK SYSTEM


Our most popular multi-channel track, used widely in hotels throughout Europe. The three-way curtain track allows a voile on the back track and one curtain on each of the front tracks, allowing for a large overlap - essential for achieving exclusion of light in hotel rooms.

FEATURES





TECHNICAL INFO



Applications: Contract

Use : Hotel, Office, Restaurants, etc Material: Aluminium alloy 6060/T6 Accessories : Plastic/metal Track width: 3 x 6mm

Ext. dimensions: W 91mm x H8mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: 20kg (7.5kg per channel) Recommended glider:5721

5408 Standard (unless specified):

- Split draw
- Nylon gliders

AVAILABLE COLOURS



White

MOUNTING OPTIONS

The 5408 profile is mounted directly onto the ceiling.



Colours:

ACCESSORIES / 5408 / 3-WAY / HAND DRAWN



Colours:

Colours:

Colours:

































CWF 6220

HAND DRAWN CURTAIN TRACK SYSTEM

Sleek and contemporary, this high performance hand drawn track is suitable for medium to heavy-weight curtains. Low-friction gliders ensure a long lasting easy glide. Purpose designed for direct ceiling/recess fixing for a neat, attractive track. Compatible with CWF Wave curtain systems. Available in Corded and Hand Drawn options.

FEATURES
















TECHNICAL INFO



Applications : Domestic, Contract

Use: Curtain hanging Heavy & Light weight

Material: Aluminium alloy 6060/T6

Accessories: Plastic/metal Track width: 6 mm

Ext. dimensions: W21.2 mm x $\,$ H25 mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: Maximum 18kg*

Bending: 47 cm radius

Recommended glider: 622663: Roller glider with steel axle, 5730, 5735, 411173

6220 Standards (unless specified):


- Split draw
- Ceiling fix bracket
- Roller glider, steel axle

AVAILABLE COLOURS





BENDING OPTIONS






























ACCESSORIES / 6200 / HAND DRAWN & CORD DRAWN



Colours:



Curtain Bug

Colours:

(Inquire)

ACCESSORIES / 6220 / CORDED

Colours:
























CWF 8061 MULTI CHANNEL NARROW / 2-WAY

HAND DRAWN CURTAIN TRACK SYSTEM


Hand drawn, symmetrical double channel track ideal for contract applications such as hotels and offices. Perfect for creating a flawless curtain overlap. Example use: Right-hand curtain on front track, left-hand curtain on rear.

FEATURES





TECHNICAL INFO



Applications: Contract

Use: Hotel, Office, Restaurants, etc Material: Aluminium alloy 6060/T6 Accessories : Plastic/metal Track width: 2x6 mm

Ext. dimensions: W 44mm x H 7.5mm

Length: 600cm Thickness: 1.0 - 1.2 mm

Load: 15kg (7.5kg per channel) Recommended glider:5721

8061 Standard (unless specified):

- Split draw
- Nylon gliders

AVAILABLE COLOURS



White

MOUNTING OPTIONS

The 8061 profile is mounted directly onto the ceiling. Pre-drilled holes every 50cm.



ACCESSORIES / 8061 / 2-WAY / HAND DRAWN



8061
Profile with 2 tracks
Colours:



End cap with a screw



5721

Nylon Glider (10 pcs on string)

Colours:





Colours:






















CWF 8062 MULTI CHANNEL NARROW / 2-WAY

HAND DRAWN CURTAIN TRACK SYSTEM


Hand drawn, symmetrical double channel track ideal for contract applications such as hotels and offices. Ideal for situations where overlap on curtains is required. Integrated pelmet conceals curtain heading.

FEATURES





TECHNICAL INFO



Applications: Contract

Use: Hotel, Office, Restaurants, etc Material: Aluminium alloy 6060/T6 Accessories : Plastic/metal

Track width: 2 x 6 mm

Ext. dimensions: W 55 mm x H 36mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: 15kg (7.5kg per channel) Recommended glider:5721

8062 Standard (unless specified):

- Split draw
- Nylon gliders

AVAILABLE COLOURS



White

MOUNTING OPTIONS

The 8062 profile is mounted directly onto the ceiling. Pre-drilled holes every 50cm.



ACCESSORIES / 8062 / 2-WAY / HAND DRAWN



8062/6
Profile with 2 tracks
Colours:



End cap with a screw



Nylon Glider (10 pcs on string)

Colours:


























CWF 9001

HAND DRAWN & CORDED CURTAIN TRACK SYSTEM

The 9001 Pole Track is a unique decorative curtain track system suitable for both domestic and contract applications. Available in a range of colours with contemporary finial and bracket designs, the 9001 Pole Track offers a modern look. Popular as a double curtain pole, it is available as a hand drawn, or single cord or dual cord system.

FEATURES
















TECHNICAL INFO



Applications: Domestic, Contract

Use: Curtain hanging in boats, caravans etc.

Material: Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width: 6 mm Ext. dimensions: Ø28 mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: Maximum 20kg* Bending: 47 cm radius

Recommended glider: 5721, 5730, 5735

9001 Pole Track Hand Drawn & Corded (unless specified):

- Split draw
- Ceiling fix bracket
- Nylon glider

AVAILABLE COLOURS











Antique Brass

French Gray

BENDING OPTIONS
































ACCESSORIES / 9001 / HAND DRAWN / CORDED



Colours:

Decorative Square Bracket

Decorative round bracket

Colours:



Decorative Double Square Bracket

Colours:


6cm L Wall Bracket

ACCESSORIES / 9001 / HAND DRAWN / CORDED


















ACCESSORIES / 9001 / CORDED












ROUND POLE HAND DRAWN & CORDED CURTAIN TRACKS

AVAILABLE AS A HAND DRAWN, SINGLE CORD OR DUAL CORD SYSTEM

GOLD Standard Bracket + Button Finial Square Bracket + Button Finial Round Bracket + Button Finial Square Bracket + Trumpet Finial Round Bracket + Trumpet Finial Square Bracket + Ball Finial

Round Bracket + Ball Finial







Round Bracket + Ball Finial

ROUND POLE HAND DRAWN & CORDED CURTAIN TRACKS

BLACK



Standard Bracket + Button Finial



Round Bracket + Button Finial



Square Bracket + Trumpet Finial




Round Bracket + Trumpet Finial



Square Bracket + Ball Finial



Round Bracket + Ball Finial



Double Square Bracket + Button Finial

ANTIQUE BRASS



Standard Bracket + Button Finial




Round Bracket + Button Finial



Square Bracket + Trumpet Finial



Round Bracket + Trumpet Finial



Square Bracket + Ball Finial




Round Bracket + Ball Finial

ROUND POLE HAND DRAWN & CORDED CURTAIN TRACKS

NEW FRENCH GRAY


Combines modern style with classic sophistication, creating a timeless look that never goes out of fashion.

- Timeless & Classic
- Versatile Elegance
- Serene Ambiance



CWF 9001 SUSPENDED

DEVELOPED SPECIFICALLY FOR COMMERCIAL & HEALTHCARE PROJECTS







CWF 9001 SUSPENDED

HAND DRAWN CURTAIN TRACK SYSTEM

Developed specifically for design lead healthcare projects, beauty treatment rooms and retail changing rooms, the 9001 Suspended is an elegant alternative to standard cubicle and privacy tracks. Available with a dust resistant PVC cover strip and colour coordinated covers for end brackets, this track can be mounted either on the wall or on the ceiling.

FEATURES




















TECHNICAL INFO



Applications : Healthcare, Retail, Contract Use: Cubicle rail, Shower rail, Commercial Material: Aluminium alloy 6060/T6

Accessories: Plastic/metal Track width: 6 mm Ext. dimensions: Ø28 mm

Length: 600cm Thickness: 1.0 -1.2 mm Load: Maximum 15kg* Bending: R. 47 cm

Recommended glider: 5721

9001 Suspended standard: (unless specified)

- Split draw
 - End bracket and cover
- 1m ceiling Stay

AVAILABLE COLOURS







White


Black

BENDING OPTIONS













*If the curtain track is made with bends, the maximum weight limit will be halved.







ACCESSORIES / 9001 SUSPENDED / HAND DRAWN



Colours:

Colours:



Curtain Bug

Colours:





HAND DRAWN CURTAIN TRACK SYSTEM

Hand drawn, direct ceiling mounted track, ideal for contract applications. Easy to fit due to pre-drilled holes in profile. Suitable for sheers and light to medium weight curtains, as well as wave curtains.


FEATURES







TECHNICAL INFO



Applications : Contract

Use: Hotel, Office, Restaurants etc. Material: Aluminium alloy 6060/T6 Accessories: Plastic/metal

Track width : 6 mm

Ext. dimensions: W26mm x H11mm $\,$

Length: 600cm Thickness: 1.0 -1.2 mm Load: Maximum 10kg*

Recommended glider: 5721, 5730, 5735

9111 Standard (unless specified):

- Split draw
- Nylon gliders

AVAILABLE COLOURS



White

MOUNTING OPTIONS

The 9111 profile is mounted directly onto the ceiling. Pre-drilled holes every 19cm.







ACCESSORIES / 9111 / HAND DRAWN



911162
Single track profile
Colours:



End cap with a screw



5721

Nylon Glider (10 pcs on string)

Colours:





Colours:

Colours:











Box QTY: 1000 pcs













CWF 9920 MULTI CHANNEL WIDE / 2-WAY

HAND DRAWN CURTAIN TRACK SYSTEM

Hand drawn, wide double curtain track ideal for contract applications such as hotels, offices and hospitals. Example use: Curtain on front, voile on rear.

FEATURES










TECHNICAL INFO



Applications: Contract

Use: Hotel, Office, Restaurants etc. Material: Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width: 6 mm

Ext. dimensions: W26mm x H11mm

Length: 600cm Thickness: 1.0-1.2 mm

Load : Maximum 10.5kg per meter Recommended glider: 5721, 5730, 5735 9920 Standard (unless specified):

- Split draw
- Nylon gliders

AVAILABLE COLOURS




White

MOUNTING OPTIONS

The 9920 profile is mounted directly onto the ceiling. Pre-drilled holes every 15cm.




ACCESSORIES / 9920 / HAND DRAWN









CWF 9930 MULTI CHANNEL WIDE /

HAND DRAWN CURTAIN TRACK SYSTEM

Hand drawn, wide symmetrical triple track ideal for contract applications such as hotels and offices. Example use: Curtain on front, voile on middle, blackout fabric on rear.

FEATURES












TECHNICAL INFO



Applications : Contract

Use: Hotel, Office, Restaurants etc. Material: Aluminium alloy 6060/T6 Accessories : Plastic/metal Track width: 6 mm

Ext. dimensions: W 134mm x H 12.5mm

Length: 600cm

12,5 mm Load : Maximum 10.5kg per channel Recommended glider: 5721, 5730, 5735 9930 Standard (unless specified):

- Split draw
- Nylon gliders

AVAILABLE COLOURS




White

MOUNTING OPTIONS


The 9930 profile is mounted directly onto the ceiling. Pre-drilled holes every 15cm.

ACCESSORIES / 9930 / HAND DRAWN









NEW

CWF DECO 1020

ELECTRIC, BATTERY AND HAND DRAWN CURTAIN TRACK SYSTEM

Introducing our Deco 1020 a perfect addition to elevate the aesthetic appeal of your space. Specifically designed to seamlessly integrate with our CWF 1020 curtain track, creating a modern and sophisticated ambiance.

The Deco 1020 is available in both battery-powered and electric options, offering convenience and flexibility in operation. Its robust design is complemented by a stylish ball finial, adding a touch of elegance to your curtains. With a range of nine stunning colors, this extensive color palette ensures you can find the perfect match for your interior decor. With dimensions of 22mm in width and 32mm in height, the Decorative 1020 cover is compact yet durable. Installing it is a breeze, thanks to its user-friendly design.



FEATURES



Hand Drawn



Motorized Battery / Electric



TECHNICAL INFO / ROUND MOTORIZED



Wave Glider



Ceiling Mount



Wall Mount



Smart Home



Remote



Applications: Domestic, Contract Motorised: Battery / Electric

Material: Aluminium

Accessories: Plastic/metal/Aluminium

Track width: 20 mm Deco 1020: 30 mm x 32,5 mm

Length: 580 cm* Thickness: 1.0-1.2 mm Load: Maximum 35-60 kg

Recommended glider: 508-0802-000, 508-

0804-000, 508-0826-000

*Note: No plug on motor

CWF Deco 1020 Track motorised standard:

- Deco Profile
- Roller Glider
- Clip Ceiling Bracket

AVAILABLE COLOURS









Silver Anthracite










Champagne







TECHNICAL INFO / ROUND HAND DRAWN



Applications : Domestic, Contract

Material: Aluminium

Accessories: Plastic/metal/Aluminium

Track width: 20 mm

Deco 1020: 30 mm x 32,5 mm

Length: 580 cm* Thickness: 1.0-1.2 mm Load: Maximum 35 kg

Recommended glider: 508-0802-000, 508-

0804-000, 508-0826-000

CWF Deco 1020 Track standard:

- Deco Profile
- Roller Glider
- Clip Ceiling Bracket

AVAILABLE COLOURS











Antique








Silver Brushed





TECHNICAL INFO / FLAT HAND DRAWN / BATTERY & ELECTRIC



Applications: Domestic, Contract

Material: Aluminium

Accessories: Plastic/metal/Aluminium

Track width: 20 mm Deco 1020: 22 mm x 32 mm Length: 580 cm* Thickness: 1.0 - 1.2 mmLoad : Maximum 35 kg

Recommended glider: 508-0802-000, 508-

0804-000, 508-0826-000

CWF Deco 1020 Track standard:

- Deco Profile
- Roller Glider
- Clip Ceiling Bracket

AVAILABLE COLOURS









White

Silver

Anthracite

Black









Silver Brushed




ACCESSORIES / DECO 1020






















Mastercarrier without snaps
Colours:














Curved arm white for mastercarrier with screw













Colours:






Colours:




What are the benefits of RTS technology?

- RTS transmissions pass through walls. You do not necessarily have to be near your awning or other type of application in which a Somfy motor is incorporated: operating is also from another room or from another floor.
- RTS has a handy and self-adjustable "my" function with which you can easily give a product a fixed, favorite intermediate position. You can change it at any time.
- No additional wires are required for operation. The receiver is in the motor. The only wire required is from the RTS motor to the power supply.
- You can combine controls and controls as desired and expand the system at any time with additional remote controls, wireless wall controls and app control.
- With RTS you can also apply compatible sensors that respond to weather change. For example, a Somfy RTS sun sensor lowers your sun protection during sunlight measurement and the wind sensor collects the sun protection in time if it starts to blow too hard.
- Safe operation with a rolling code reduces interference with other radio products.



Single channel operation

Operate 1 electric roller blind (or other application) individually or a group of roller blinds simultaneously.



Multi channel operation

Operate 1 to 5 electric roller blinds (or other applications) individually or as a group. Expandable up to 16 channels with individual control.

CONTROLS / DECO 1020 / MOTORIZED



Colours:

Colours:

Colours:



8 ASTONISHING COLOURS UNLIMITED POSSIBILITES



ALL COLOURS AVAILABLE IN ROUND AND FLAT DECO 1020 PROFILE











CWF DOUBLE T SELF BEND

HAND DRAWN CURTAIN TRACK SYSTEM

White powder-coated aluminium, flexible curtain track system that can be bent by hand for bay windows or other curved applications. Suitable for light to medium weight curtains.

FEATURES














TECHNICAL INFO



Applications: Domestic, Contract Use: Bay Windows and Others Material: Aluminium

Accessories: Plastic/metal Track width: 4 mm

Ext. dimensions: 7mm x 15mm Length: 500cmLoad: Maximum 9kg* Bending: Self Bend

Recommended glider: 922011, 922060

Double T standards:

- Split draw
 - Ceiling fix bracket
- Plastic & metal glider

AVAILABLE COLOURS



White

SELF BENDING AND SUPER FLEXIBLE

The flexible curtain track is perfect for windows where you have a curve or feel that straight curtain tracks are not going to achieve the effect you want. In addition, we can also see them in places like caravans or motorhomes, where thanks to being able to mold it you will be able to adapt it without any problem.

This curtain rail is fully moldable and tool-free so you can shape it into whatever shape you need when it arrives at your home, it installs like any other rail and comes with everything you need to hang it, all you have to worry about is making the fabric that you like the most to hang it.

The Double T flexible curtain track is hand operated, so you can play with the curtain and move it freely around the track.





*


ACCESSORIES / DOUBLE T SELF BEND / HAND DRAWN

























Pre-corded extendible track available in four sizes, complete with gliders, overlap and underlap guides, cord pulley, P-Clip child safety device, wall and ceiling brackets and fitting instructions.

FEATURES










TECHNICAL INFO



Applications: Domestic, Contract Material: Powder coated steel Accessories : Plastic/metal

Ext. dimensions: W11mm x H21.4mm Length From 72cm - 381cm

Thickness: 1.0 - 1.2 mmLoad : Maximum 8kg* Recommended glider : n/aCord drop: 200cm when extended

Extendible standard:

- Split draw
- Ceiling and wall fix bracket
- Nylon glider

AVAILABLE COLOURS



White

STANDARD SIZE KITS

| Code | Description | Gliders | Central Brackets | Side Brackets |
|----------|--|---------|------------------|---------------|
| E303122S | Extendible Curtain Track (72cm x 122cm) | 12 | 0 | 2 |
| E303213S | Extendible Curtain Track (122cm x 213cm) | 20 | 1 OUT | 2 |
| E303305S | Extendible Curtain Track (167cm x 305cm) | 30 | 1 OUT & 1 IN | 2 |
| E3033815 | Extendible Curtain Track (218cm x 381cm) | 38 | 2 OUT & 1 IN | 2 |

STANDARD SIZES / EXTENDIBLE / CORD DRAWN

| Picture | Picture Code Description | | Colour | Box Quantity |
|--|--------------------------|--|--------|--------------|
| -N | E303122S* | 72cm - 122cm extendible pre-corded track kit | White | 10 pcs |
| ************************************** | E303213S | 122cm - 213cm extendible pre-corded track kit | White | 10 pcs |
| | E303305S | 167cm - 305cm extendible pre-corded track kit | White | 10 pcs |
| | E3033815 | 218cm - 381cm extendible pre-corded track kit | White | 10 pcs |

 $^{^*}$ Central support brackets not included for E303122S

ACCESSORIES / Extendible / CORD DRAWN









PANEL TRACK

HAND OR CORD DRAWN CURTAIN TRACK SYSTEM

Our premium aluminum panel track system is the architect's choice for elegant window and door coverage and versatile room division. Precision-crafted for smooth hand or cord-drawn operation, these panels effortlessly adapt to changing lighting needs. With easy-to-remove panels for maintenance, architects can enhance spaces with style and functionality. Elevate your designs with our exceptional panel track system, available in 3-way, 4-way, and 5-way options.

FEATURES









Way Panel

Way Panel

Way Panel

TECHNICAL INFO

3 Way Panel Track


Applications: Domestic, Contract

Use: Panel track systems Material: Aluminium alloy 6060/T6

Accessories: Plastic/metal Track width: 6 mm

Ext. dimensions: 51 mm x 15.4 mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: Maximum 6 kg* Recommended glider: 5430



4 Way Panel Track

Applications : Domestic, Contract

Use: Panel track systems

Material: Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width: 6 mm

Ext. dimensions: 69 mm x 15.6 mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: Maximum 6 kg* Recommended glider: 5430



5 Way Panel Track

Applications : Domestic, Contract

Use: Panel track systems

Material : Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width: 6 mm

Ext. dimensions: 87 mm x 15.4 mm

Length: 600cm Thickness: 1.0 - 1.2 mmLoad: Maximum 6 kg* Recommended glider: 5430







ACCESSORIES / PANEL TRACK



5403
3 track panel profile
Colours:



5404
4 track panel profile
Colours:



5405
5 track panel profile
Colours:










End cap
Uncorded 5 track profiles
Colours:



Panel holder profile with hook velcro









T-Stop angle for 5430



Sloping stop-angle for 5430

Colours:










Twist ceiling bracket
For 5 Panel Track
Colours:









(sew on)

Colours:



 $100 \mathrm{cm}$ Plastic coated draw rod



Colours:



Colours:


Colours:




ACCESSORIES / PANEL TRACK



ACCESSORIES / PANEL TRACK / CORDED









CWF PROJECT

HAND DRAWN CURTAIN TRACK SYSTEM

The Project track is a new contemporary track which has the benefit of being a single track. The ultimate in versatility, with a single channel on one side. Ideal for ensuring an overlap for voiles or light curtains.

FEATURES







Wave Glider



Ceiling Mount



Voiles Only



TECHNICAL INFO



Applications : Domestic, Contract Use: Curtain hanging in boats, caravans etc.

Material : Aluminium alloy 6060/T6 Accessories: Plastic/metal

Track width: 6 mm Ext. dimensions: 42mm x 7.5mm

Length: 400cm Thickness: 1.0 -1.2 mm Load: Maximum 7kg* Bending: N/A

Recommended glider: 411173, 5730, 5735

CWF Project Standard(unless specified):

- Single channel track
- Split draw
- Ceiling fix bracket
- Nylon glider

AVAILABLE COLOURS






White

Titan

*

ACCESSORIES / PROJECT / HAND DRAWN



Selection of Draw Rods (Inquire)





CWF GLYDEA / IRISMO RTS

ELECRIC, BATTERY & HAND DRAWN CURTAIN TRACK



CWF GLYDEA/ IRISMO RTS

BATTERY, ELECTRIC AND HAND DRAWN CURTAIN TRACK SYSTEM



Our Glydea and Irismo™ Wirefree RTS is a battery and electric operated curtain track by Somfy, the market leaders in home automation systems. This quiet and smart motorised track is simple to install and enhances the level of comfort for users. Straight, angled or curved options up to 10m long with a 5 years international warranty. Customizable with a 35kg or 45kg Motor.

FEATURES


















TECHNICAL INFO



Applications : Domestic, Contract Use : Curtain hanging in Hotels, House, etc.

Material : Aluminium alloy 6060/T6 Accessories : Plastic/metal

Track width:

Ext. dimensions: 30.2mm x 25mm

Length :1000 cm Thickness : 1.0 -1.2 mm

Load : Maximum 35kg /45 / 60 kg*

Bending: Yes

Recommended glider: 1781415, 8627

Glydea / Irismo standard (unless specified):

- · Split draw, straight track
- · Ceiling fix bracket
- · Roller glider
- Motor RHS

AVAILABLE COLOURS





BENDING OPTIONS
























*If the curtain track is made with bends, the maximum weight limit will be halved.






What are the benefits of RTS technology?

- RTS transmissions pass through walls. You do not necessarily have to be near your awning or other type of application in which a Somfy motor is incorporated: operating is also from another room or from another floor.
- RTS has a handy and self-adjustable "my" function with which you can easily give a product a fixed, favorite intermediate position. You can change it at any time.
- No additional wires are required for operation. The receiver is in the motor. The only wire required is from the RTS motor to the power supply.
- You can combine controls and controls as desired and expand the system at any time with additional remote controls, wireless wall controls and app control.
- With RTS you can also apply compatible sensors that respond to weather change. For example, a Somfy RTS sun sensor lowers your sun protection during sunlight measurement and the wind sensor collects the sun protection in time if it starts to blow too hard.
- Safe operation with a rolling code reduces interference with other radio products.



Single channel operation

Operate 1 electric roller blind (or other application) individually or a group of roller blinds simultaneously.



Multi channel operation

Operate 1 to 5 electric roller blinds (or other applications) individually or as a group. Expandable up to 16 channels with individual control.

CONTROLS / GLYDEA / IRISMO





ACCESSORIES / GLYDEA / IRISMO







































Heavy Duty Master Carrier Colours:



Overlap Arm for standard gliders (pair of curtains) Colours:








Colours:









curtains & motor end)



Colours:





ACCESSORIES / GLYDEA / IRISMO


















CWF TECHNO 30

HAND DRAWN, CORDED, BATTERY & ELECTRIC TRACK SYSTEM

Create a contemporary interior style with the Techno 30 curtain Track Pole. Offering a curtain pole aesthetic with the functionality of a track, the Techno 30 cord drawn pole features a pulley system concealed within a minimalist finial. Available in Motorzed (Battery and Electric), Hand Drawn and Corded options the Techno 30 is built to last and is capable to support heavy weights as much as 60kg*



FEATURES







Battery / Electric










Wall Mount





TECHNICAL INFO



Applications : Domestic, Contract

Use: Curtain hanging, caravans, House, etc. Material: Aluminium alloy 6060/T6

Accessories : Plastic/metal Track width: 4 mm

Ext. dimensions: $10.5 \text{mm} \times 14.5 \text{mm}$

Length: 600cm

Thickness: 1.89-2.46 mm Load: Maximum 30kg / 35kg* Bending: 47 cm radius Recommended glider: 5721

Techno 30 Standards (unless specified):

- Single cord
- Ceiling bracket
- Nylon glider

AVAILABLE COLOURS





Brass








Black

White

Stainless

Satin Gold Steel

BENDING OPTIONS

























ACCESSORIES / TECHNO 30 / HAND DRAWN


































ACCESSORIES / TECHNO 30 / CORD DRAWN



ACCESSORIES / TECHNO 30 / BATTERY / ELECTRIC







ACCESSORIES / TECHNO 30 / BATTERY / ELECTRIC



X9625-90

90 Degree Fixed bend
for Motorised System

Colours:



Drive Connector Motorised system
Colours:



Stopper - Motorised
System
Colours:





59901

Belt Connector
Motorised System

Colours:







59900

Belt for Motorised

System

Colours:



Replacement curtain hook for motor











CONTROLS / TECHNO 30 / BATTERY / ELECTRIC











Telis Pure 1 Channel Remote



Colours:











What are the benefits of RTS technology?

- RTS transmissions pass through walls. You do not necessarily have to be near your awning or other type of application in which a Somfy motor is incorporated: operating is also from another room or from another floor.
- RTS has a handy and self-adjustable "my" function with which you can easily give a product a fixed, favorite intermediate position. You can change it at any time.
- No additional wires are required for operation. The receiver is in the motor. The only wire required is from the RTS motor to the power supply.
- You can combine controls and controls as desired and expand the system at any time with additional remote controls, wireless wall controls and app control.
- With RTS you can also apply compatible sensors that respond to weather change. For example, a Somfy RTS sun sensor lowers your sun protection during sunlight measurement and the wind sensor collects the sun protection in time if it starts to blow too hard.
- Safe operation with a rolling code reduces interference with other radio products.




Single channel operation

Operate 1 electric roller blind (or other application) individually or a group of roller blinds simultaneously.



Multi channel operation

Operate 1 to 5 electric roller blinds (or other applications) individually or as a group. Expandable up to 16 channels with individual control.



TECHNO 30

HAND DRAWN, CORDED & MOTORIZED CURTAIN TRACKS

THE MOTORIZED TRACK IS POWERED BY SOMFY TECHNOLOGY




CORDED Round Bracket + Standard Finial - White Round Bracket + Standard Finial - Antique Brass Round Bracket + Standard Finial - Silver Round Bracket + Ball Finial - Silver Round Bracket + Ball Finial - White

Round Bracket + Ball Finial - Antique Brass

TECHNO 30

MOTORIZED CURTAIN TRACKS - BATTERY & ELECTRIC

Choose from a simple remote control that lets you control your curtains individually or in groups. Or use your smartphone to control your system from anywhere in the world.





Flexible net curtain rod for straight and bay windows. The kit contains everything you need for straight runs or bay windows up to 500cm.

FEATURES









TECHNICAL INFO

Applications : Domestic Use: Net curtains, voile curtains

Material : Plastic Control: Stationary Accessories: Plastic Track width: 4 mm Length: 500cm

Kit contents: 3 x Net rods

2 x End brackets 8 x Mid supports

4 x Flexible connectors

2 x Solid connectors

AVAILABLE COLOURS



White

BENDING OPTIONS

Example 1



Solid Connector For Bow Window



Example 2

Flexible Connector For Bay Window



Example 3

Flexible Connector For Bay Window



Example 4

Flexible Connector For Box Bay Window

MOUNTING OPTIONS







Face fixing

Side and top fixing



Adhesive pads





ACCESSORIES / JAGO / FLEXIBLE CURTAIN ROD




















For installing stationary curtain panels or roman blinds on regular or arched windows. Direct ceiling mounted for fitting in recess. Can also be wall mounted by using two lengths of profile back-to-back. For large windows simply butt two or more tracks together.





TRACK WITH VELCRO HOOK TAPE

- TRACK FOR CURTAIN HOOKS
- Complete with hook tape for attaching the curtain with loop tape.
- $\bullet \qquad \text{Hook tape is permanently bonded to plastic strip.}\\$
- Notched every 2 inches to create easy curves.
- Slots every 3 1/2 inches, for easy installation.
- Fire retardant.
- 122cm length.

- For installing stationary, pleated curtains using curtain pins in an arched or apex window.
- Notched every 2 inches to create easy curves.
- Slots every 3 1/2 inches, for easy installation.
- 122cm length.

MOUNTING OPTIONS

This track can be direct ceiling mounted, without brackets, through pre-formed slots every 3 1/2 inches.

AVAILABLE COLOURS



White

COMPONNENTS / ARCHED WINDOW VALANCE







Extendible aluminium valance for hanging valances or pelmets made from curtain fabric in front of a curtain track. Curtain valance are supplied with all necessary bracket supports.

FEATURES











TECHNICAL INFO

Applications: Domestic

 $Use: Shower \ curtains, \ Net \ curtains$

Material : Aluminium Colours : White Accessories : Plastic

Length: From 65cm - 240cm

AVAILABLE COLOURS



COMPONNENTS / ARCHED WINDOW VALANCE

| Box QTY: 1 pcs | Box QTY: 1 pcs | Box QTY: 1 pcs |
|---------------------------------|---------------------------------|-------------------------------------|
| | | |
| 083 | 050 | 053 |
| 65cm - 110cm Extendible valance | 90cm - 160cm Extendible valance | 150cm - 240cm Extendible valance |
| Colours: | Colours: | Colours: |



20mm aluminium spring tension rod with white plastic stoppers at each end. Each stopper has rubber rings to optimise grip once pole is in place.

FEATURES











Applications: Domestic

Use : Shower curtains, Net curtains $% \left(1\right) =\left(1\right) \left(1\right) \left($

Material : Aluminium Accessories : Plastic Diameter: 20mm

Length: From 70cm - 260cm

MOUNTING OPTIONS


 $Wall-to-wall\ mounting\ with\ twist\ and\ fit\ spring-loaded\ tension\ rod.$

AVAILABLE COLOURS



White

COMPONNENTS / ARCHED WINDOW VALANCE







CWF CURTAIN DRAW RODS



Our curtain draw rods offer a wide selection of styles, sizes, and materials, including plastic, plexiglass, and aluminum options. These materials provide durability and versatility for various curtain types. Choose from modern plastic rods for a lightweight and budget-friendly option, sleek plexiglass rods for a contemporary look, or sturdy aluminum rods for added strength and stability. With our curtain draw rods, you can achieve the perfect fit and smooth operation for your curtains, while adding a touch of style to your window treatments.

FEATURES





AVAILABLE COLOURS





White

Transparent

CWF CURTAIN DRAW RODS / VARIATIONS

PLASTIC COATED



| Code | Description | Description Colour | | | | |
|------|-------------------------------|-------------------------------------|--------|--|--|--|
| 1274 | 50cm Plastic coated draw rod | White | 25 pcs | | | |
| 1275 | 75cm Plastic coated draw rod | 25 pcs | | | | |
| 1276 | 100cm Plastic coated draw rod | White | 25 pcs | | | |
| 1280 | 125cm Plastic coated draw rod | White | 25 pcs | | | |
| 1281 | 150cm Plastic coated draw rod | 150cm Plastic coated draw rod White | | | | |

Plexiglass



| _ | | | | | | |
|------|----------------------------|---------------------------------------|--------------|--|--|--|
| Code | Description | Colour | Box Quantity | | | |
| 1278 | 75cm Plexiglass draw rod | Transparent | 25 pcs | | | |
| 1286 | 100cm Plexiglass draw rod | 100cm Plexiglass draw rod Transparent | | | | |
| 1282 | 125 cm Plexiglass draw rod | Transparent | 25 pcs | | | |
| 1285 | 150 cm Plexiglass draw rod | Transparent | 25 pcs | | | |

Aluminum



| ú | Code | Description | Colour | Box Quantity | |
|---|------|--------------------------|--------|--------------|--|
| | 1388 | 75cm Aluminum draw rod | White | 10 pcs | |
| | 1389 | 100cm Aluminum draw rod | White | 10 pcs | |
| | 1390 | 125cm Aluminum draw rod | White | 10 pcs | |
| | 1391 | 150 cm Aluminum draw rod | White | 10 pcs | |
| | 1384 | 75cm Aluminum draw rod | Silver | 10 pcs | |
| | 1385 | 100cm Aluminum draw rod | Silver | 10 pcs | |
| | 1386 | 125cm Aluminum draw rod | Silver | 10 pcs | |
| | 1387 | 150 cm Aluminum draw rod | Silver | 10 pcs | |



Our selection of curtain gliders which are available in a variety of options and sizes, for both slimline and standard curtain tracks.

FEATURES



Gliders 4mm




Gliders 6mm


AVAILABLE COLOURS



4MM GLIDERS







6MM GLIDERS

Colours:



Nylon Glider, 10 pcs on a string





5739K Glider with 4071 hook

> Suitable Tracks: 5001 Cubicle 9001 Cubicle

Colours:



1307 Strong glider wide

Suitable Track: 1300 6220

Colours:

Colours:



Wave glider on string - space 6 cm for wide glide tracks

Suitable Tracks: 0521, 1100, 1300, 1500, 5001, 5408, 6220, 8061, 8062, 8500, 9001, 9111, 9920, 9930, Project


Colours:



Wave glider on string - space 8 cm for wide glide tracks

Suitable Tracks: 0521, 1100, 1300, 1500, 5001, 5408, 6220, 8061, 8062, 8500, 9001, 9111, 9920, 9930, Project


Colours:





Roller glider 10 pcs on a string

Suitable Tracks: 1100 1300 5001 9001 Colours:



Wave Gliders 6mm - 80mm Round

Suitable Tracks: 5001, 9001, Project, 0521, 1100, 9111, 8061, 8062, 5408





6036 Roller wave glider

Suitable Tracks: 5001, 9001, Project, 0521, 1100, 1500, 9111, 8061, 8062, 5408



6MM GLIDERS Continuation











7MM GLIDERS Continuation



GLIDERS





Selection of wall and ceiling brackets suitable for use with multiple CWF curtain tracks. Brackets are used to fix your curtain track or pole to the wall or ceiling.

FEATURES





AVAILABLE COLOURS























CWF CEILING BRACKETS



Twist ceiling bracket Assorted Colours Suitable Tracks: 2005 2300

Colours:




5010

Ceiling Bracket

Suitable Tracks:
5001 Cubicle
9001 Cubicle








































Colours:

CWF CEILING BRACKETS





1780906


Swivel Ceiling Bracket


Suitable Tracks:

Glydea


Irismo

Colours:























CWF WALL BRACKETS



6cm Wall L- Bracket

Suitable Tracks: 5001 Cubicle 9001 Cubicle





10cm Wall L- Bracket

Suitable Tracks: 5001 Cubicle 9001 Cubicle

Colours:



7 cm Wall L-Bracket (40×67)

Suitable Tracks:

1005 1300

2005 2300

Colours:



9 cm Wall L-Bracket (40×87)


Suitable Tracks:

1005 1300

2005

2300

Colours:





14 cm Wall L-Bracket (40 x 137)

Suitable Tracks:

1005

1300 2005

2300

Colours:



19 cm Wall L- Bracket (40 x 207)


Suitable Tracks:

1005 1300

2005

2300

Colours:



Plastic cover for Wall L-Brackets (560 range)

N/A

Colours:



387810

10cm Decorative square bracket

Suitable Tracks: 5001, 9001, Glydea, 1400, Irismo 2005

Colours:



3cm Lever lock wall bracket

Suitable Tracks: 2005 2300

Colours:







4cm Lever lock wall bracket

Suitable Tracks: 2005 2300



Box QTY: 50 pcs



Twist bracket 5 cm

Suitable Tracks: 2005 2300

Colours:



6cm Lever lock wall bracket

Suitable Tracks: 2005 2300











CWF WALL BRACKETS CONTINUATION



6cm/17cm Decorative double square bracket

Suitable Tracks: 5001, 9001, Glydea, 1400, Irismo 2005





6-20 cm Adjustable Wall Bracket (6.5 cm high)

Suitable Tracks: Compatible with All Tracks

Colours:



11 - 16cm reinforced steel adjustable wall bracket

> Suitable Tracks: 6220 Meeting Glydea Irismo

Colours:



4cm Wall Bracket

Suitable Tracks: 1005

Colours:





Flush wall mount button

Suitable Tracks: 2005 2300

Colours:



8cm wall bracket

Suitable Tracks: Project

Colours:



11103323 / 1110335:

12 cm wall bracket

Suitable Tracks: Project

Colours:



Side angle bracket

Suitable Tracks: 5001 9001

Colours:



Side angle bracket adjustable side-to-side

> Suitable Tracks: 5001 9001

Colours:



Side angle bracket adjustable upand-down

> Suitable Tracks: 5001 9001

Colours:



7.5cm Wall Bracket

Suitable Tracks: 1019 1020

1300 1100 1021

Colours:



Aluminium wall bracket white 100mm w clip

> Suitable Tracks: 1019

1020

1300 1100 1021







Box QTY: 50 pcs

CWF WALL BRACKETS CONTINUATION



5080128000 / 5080128004

Aluminium wall bracket with clip - 200mm

> Suitable Tracks: 1019 1020 1300

> > 1100 1021

Colours:



Aluminium wall bracket white 100mm w clip

Suitable Tracks:

1019 1020

1300

1100

1021

Colours:



projection and 34 mm extension

Suitable Tracks: Irismo Glydea

Colours:



Side bracket metal with 2 holes

Suitable Tracks: 5001

Colours:





12cm Face Fix bracket

Suitable Tracks: Irismo Glydea

Colours:



Double Wall Bracket

Suitable Tracks: 1005







Decorative round bracket

Suitable Tracks: 9001



Box QTY: 50 pcs



Wall to wall bracket / end cap

Suitable Tracks: 5001







923031

Universal Bracket

Suitable Tracks: Double T

Colours:





Bracket Lever Lock Wall 3cm

Suitable Tracks: 6220

Colours:





622634-W

Bracket Lever Lock Wall 7cm

Suitable Tracks: 6220

Colours:

Box QTY: 100 pcs



Extendible Bracket - 10.5cm to 15.5cm


> Suitable Tracks: 1400



CWF WALL BRACKETS CONTINUATION



CWF END BRACKETS











CHILD SAFETY - ROMAN BLINDS

CWF SAFE AND CHILD FRIENDLY SYSTEMS

Our blind systems are tested to IS EN 13120:2014, in accordance with test methods specified in EN16433. Each system comes complete with all the labels, safety devices and instructions to make your blind compliant.

OPERATING CHAIN

Current Child Safety Legislation now demands that we ask you for the installation heights when making your "Made-to-Measure" systems as these have a bearing on the maximum continuous chain drops allowable. These chains must then be attached using our child safety device (3909) to minimise the risk of strangulation. Full instructions are included with every dispatch and we stress these must be followed for your system to remain compliant.

The chain size is not always convenient for every customer so we offer a chain breaker device (3021). This will cause the chain to break within the prescribed maximum load of 6kg and in turn allows the use of chains down to no less than 60cm from the floor. Please note in these cases you should not install the 'P-Clip' supplied with our systems. It does however carry the limitation of not passing through the chain house so will not operate with 1:4 units. Using our 1:1 chain house will allow the successful operation of the chain breaker, providing your chain loop is at least half the length of your Roman Blind when fully lowered.

Sometimes it can be difficult to operate blinds while using a chain restrained by safety devices, so we now offer a safety pull-away chain mechanism. This innovative device releases within the prescribed maximum load of 6kg and in turn allows the use of chains down to no less than 60cm from the floor. It easily pops back into position after being removed and operates with both 1:1 and 1:4 units. Please note in these cases you should not install the 'P-Clip' supplied with our systems. Compatible with our Workroom, Deluxe and Multipurpose headrails.

For those customers preferring the security of using continuous chains only, we now offer a much wider range of drop sizes for your convenience. Please see page 147 for full details.

A free booklet on Child Safety is available from Corcoran Window Furnishings Ltd. Please email info@cwf.ie or phone 044 9371038 for a copy.

The information provide is only intended to give general and preliminary guidance on the matters and issues and should not form the basis upon which you make any decisions or conclusions regarding your rights or obligations, neither does it preclude or restrict the need for you to obtain detailed legal advice specific to your own situation and circumstances.

No warranty of any kind, whether expressed or implied by Corcoran Window Furnishings Ltd in respect of this information or as to the fitness or suitability of this information for any purpose. Corcoran Window Furnishings Ltd cannot guarantee that the standards or regulations will not be subject to change before coming into force, nor will Corcoran Window Furnishings be responsible for any errors, omissions or misleading statements. Corcoran Window Furnishings Ltd is not responsible for any loss, howsoever caused, arising directly or indirectly from reliance on this information.







ACCESSORIES / CHILD SAFTEY / ROMAN BLINDS



1:1 Safety control unit w/breakaway cog

Colours:



1:4 Safety control unit w/breakaway cog

Box QTY: 100 pcs

P-Clip child safety device

Colours: Transparent



Mini P-Clip child safety device

Colours:



Breakaway chain connector

Colours: Transparent



CWF clip-on safety orb

Colours: Transparent

Colours:



Clip-on safety orb

Colours: Transparent



Child safety D-Ring

Colours: Transparent



Breakaway chain connector

Colours: Transparent



Cord cleat - 2 pcs in a bag incl. Safety warning + instruction

Colours: Transparent



Cord tensioner

Colours:



away from window covering cords. Do not tie cords together. Make sure cords do not twist and create

Child safety tags

Colours:




Warning

Young children can be strangled by loops in pull cords, chain, tapes and inner cords that operate the product.

To avoid strangulation and entanglement, keep cords and chains out of the reach of young children. Cords may become wrapped around a child's neck.

Move beds, cots and furniture away from window coverings. Do not tie cords together. Make sure cords do not twist and create a loop.

Clip-on Safety Orb



Simply clip on to pocket tape and adjust cord as required.

No sewing required!

Easy solution for child safety compliance.

CWF Kits are independently tested and 100% compliant with Child Safety Standards EN13120: 2014.





A robust, ready assembled, roman blind kit supplied complete with all parts (except fabric and lining) to make a roman blind. All components are concealed within the white aluminium headrail to give a streamlined appearance. Perfect for light to medium weight roman blinds.

FEATURES
















1:1 Pullaway Chain house



1:4 Pullaway Chain house

TECHNICAL INFO



Applications: Domestic, ContractUse: Room, Living Room, Hotels, etc. Material : Aluminium alloy 6060/T6

Accessories: Plastic/metal Ext. dimensions: W34mm x H40mm

Length: Minimum 34cm Thickness: 1.0-1.2 mm Load: 1:1 - 6 kg, 1:4 - 12kg

AVAILABLE COLOURS







STANDARD SIZE KITS

| Code | Size | Cord roller | Chain house | Brackets | Safety Breakaway | Safety P-Clip | Safety Orb | Safety D-Rings | Rods |
|-----------|-------|-------------|-------------|----------|---------------------|------------------|---------------|-------------------|------|
| DLX-60 | 60cm | 2 | 1:1 | 2 | 2 | 1 | 2 | 10 | 6 |
| DLX-90 | 90cm | 3 | 1:1 | 2 | 2 | 1 | 3 | 15 | 6 |
| DLX-120 | 120cm | 4 | 1:1 | 3 | 2 | 1 | 4 | 20 | 6 |
| DLX-140 | 140cm | 5 | 1:1 | 3 | 2 | 1 | 5 | 25 | 6 |
| DLX-160 | 160cm | 5 | 1:1 | 4 | 2 | 1 | 5 | 25 | 6 |
| DLX-180 | 200cm | 6 | 1:1 | 4 | 2 | 1 | 6 | 30 | 6 |
| DLX-200 | 220cm | 6 | 1:1 | 5 | 2 | 1 | 6 | 30 | 6 |
| DLX-220-C | 240cm | 6 | 1:1 | 5 | 2 | 1 | 6 | 30 | 6 |
| DLX-240-C | 260cm | 7 | 1:1 | 6 | 2 | 1 | 7 | 35 | 6 |





Complete, fully assembled made-to-measure roman blind headrail, including velcro and pocket tape. Chain, crank and motorised operation options available.

Very compact premium quality open roman blind system with adjustable cord elements and easily removable cords. NEW innovative child safe control unit with internal breakaway mechanism.

FEATURES














1:4 Chain house 1:1 Pullaway Chain house







TECHNICAL INFO



Applications: Domestic, Contract Use: Room, Living Room, Hotels, etc. Material: Aluminium alloy 6060/T6

Accessories: Plastic/metal Ext. dimensions: W34mm x H40mm

Length: Minimum 34cm Thickness: 1.0 - 1.2 mmLoad: 1:1 - 6 kg, 1:4 - 12kg

AVAILABLE COLOURS







Please refer to page 101-102 for Child Safety information.



ACCESSORIES / 2009 MULTIPURPOSE / CHAIN

































Colours:



Colours:



















Spool (No Cord) Tape roll + support + screw Colours:





CWF non-slip child safety orb





Colours: Transparent



17mm Pocket tape



(sew on)

Colours:





Colours:





ACCESSORIES / 2009 MULTIPURPOSE / CHAIN







Complete, fully assembled made-to-measure roman blind headrail, including velcro and pocket tape. Chain, crank and motorised operation options available.

Very compact premium quality open roman blind system with adjustable cord elements and easily removable cords. NEW innovative child safe control unit with internal breakaway mechanism.

FEATURES














TECHNICAL INFO



Applications : Domestic, Contract Use : Room, Living Room, Hotels, etc. Material : Aluminium alloy 6060/T6

Accessories : Plastic/metal Ext. dimensions: W34mm x H40mm

 $\label{lem:lemma} Length: Minimum 34cm \\ Thickness: 1.0 -1.2 mm \\ Load: 1:1 - 6 kg, 1:4 - 12kg \\$

AVAILABLE COLOURS







Please refer to page 101-102 for Child Safety information.




Colours:

Colours:

ACCESSORIES / 2009 MULTIPURPOSE / CRANK







unit 1:4













Box QTY: 6m x 10







Colours:

4mm Fibreglass rods Colours:



P-Clip child safety device Colours: Transparent





Colours: Transparent



Colours:

Colours:





Colours: Transparent








bracket

(Max 3.5kg)

Colours:


Colours:





ACCESSORIES / 2009 MULTIPURPOSE / CRANK











CWF 2009 MULTIPURPOSE

ELECTRIC & BATTERY ROMAN BLIND HEADRAIL SYSTEM

Complete, fully assembled made to measure roman blind headrail, including velcro and pocket tape. The motor is hidden discreetly out of view inside the Roman blind tube.

FEATURES


















TECHNICAL INFO



Applications: Domestic, Contract Use: Room, Living Room, Hotels, etc. Material: Aluminium alloy 6060/T6 Accessories: Plastic/metal Ext. dimensions: W34mm x H40mm Length: Minimum 65cm

Load : 4.5kg

AVAILABLE COLOURS





White

Black



Please refer to page 101-102 for Child Safety information.

COMPATIBILITY


















ACCESSORIES / 2009 MULTIPURPOSE / ELECTRIC / BATTERY



Colours:





4cm Spring loaded wall/ceiling bracket

Colours:



5090610000

Wall and Ceiling Spring bracket

Colours:



5090604000

Wall and Ceiling Swivel bracket

Colours:





1000031

Motor Tilt & Lift LW25 B83 24v DC (0.8Nm/30rpm)



1822445

Battery to Electric Transformer



Somfy Battery Pack Li-Ion 12V 2600mAh



Somfy Battery Pack Li-Ion 12V 2600mAh





CWF non-slip child safety orb

Colours: Transparent



603495

Child safety D-ring

Colours: Transparent



P-Clip child safety device

Colours: Transparent



Charger Li-Ion motors and battery





509.0015.000

4mm Fibreglass rods

Colours:



4mm Plastic rods -3mtrs long

Colours: Transparent



5090012000

Square shaft 5x5mm aluminum 5mtr Lengths

Colours:

Colours:



Aluminium bottom bar weight (25mm x 3mm, 162g)

Colours:





8041017T201554

17mm Pocket tape

Colours:



101.0720.000

20mm Velcro loop tape (sew on)

Colours:





ACCESSORIES / 2009 MULTIPURPOSE / ELECTRIC / BATTERY CONTINUATION







CONTROLS / 2009 MULTIPURPOSE / ELECTRIC / BATTERY












Box QTY: 1 pcs











CWF 2012 HEAVY DUTY

ELECTRIC & BATTERY ROMAN BLIND HEADRAIL SYSTEM

The made-to-measure electric Heavy Duty roman blind headrail is ideal for large or difficult to reach windows. Designed for silence, the Sonesse 40 motor provides maximum acoustic comfort. Fully assembled and supplied complete with Velcro and pocket tape.

FEATURES


















TECHNICAL INFO



Applications: Domestic, Contract Use: Room, Living Room, Hotels, etc. Material: Aluminium alloy 6060/T6 Accessories : Plastic/metal Ext. dimensions: W60mm x H72mm Length: Minimum 60cm Load: Maximum 10kg. / 20kg..

AVAILABLE COLOURS







COMPATIBILITY

















ACCESSORIES / 2012 HEAVY DUTY/ ELECTRIC



509.1000.000


Profile with velcro hook tape W60mm x H72mm

Colours:



Sonesse 40 Motor RTS (3NM)

Colours:



1001578

Sonesse 40 Motor RTS (6NM)


Colours:



5091065000

12V DC Electronic tubular motor 40 3/28

Colours:



8041017T201554

17mm Pocket tape

Colours:



101.0720.000

20mm Velcro loop tape (sew on)

Colours:



Aluminium bottom bar weight (25mm x 3mm, 162g)

Colours:



509.0015.000

4mm Fibreglass rods

Colours:



4mm Plastic rods -3mtrs long

Colours: Transparent



CWF non-slip child safety orb

Colours: Transparent



603495 Child safety D-ring

Colours: Transparent



5091060000

Rubber profile

Colours:



Flush wall/ceiling bracket

Colours:

Colours:



5091015000

Preloaded cord roller - 3.5mtr cord

Colours:



Tube Guide wheel with pin pre-assembled

Colours:

Colours:



Motor bracket with 2

screws

Colours:



Box QTY: 10 pcs




5091030000

Motor wheel 40cm

Colours:




Box QTY: 10 pcs




Endcap for Worm Gear with Guide Wheel

Colours:

ACCESSORIES / 2012 HEAVY DUTY / ELECTRIC / BATTERY CONTINUATION



CONTROLS / 2012 HEAVY DUTY/ ELECTRIC





CWF DANISH KIT

ELECTRIC & BATTERY ROMAN CLOSED BLIND HEADRAIL SYSTEM

Enhance Your Projects with Versatility and Smart Home Integration Discover our NEW Danish Heavy Duty Roman blind kit designed specifically for your projects. With a bonus of versatility, this kit offers electric and battery options, seamlessly integrating with smart home systems. Experience durability, functionality, and modern convenience. Powered by Somfy, available in both Battery and Electric options.

FEATURES


















TECHNICAL INFO



Applications: Domestic, Contract Use: Room, Living Room, Hotels, etc. Material: Aluminium alloy 6060/T6 Accessories: Plastic/metal Ext. dimensions: W56mm x H56mm

Length: Minimum 40cm

Load: 17kg

AVAILABLE COLOURS









COMPATIBILITY

















ACCESSORIES / DANISH KIT



Profile Danish Kit Motorized

Colours:



Danish Roman Blind Tube Motorised

Colours:



Danish Roman Blind Spool Motorized

Colours:



Danish Roman Blind Motor Side End Cap

Colours:



Danish Roman Blind Side End Cap

Colours:



Danish Roman Blind Universal Bracket

Colours:



DK-TAPE

Tape Self Adhesive for Danish Kit Brackets

Colours:



Drive & Crown Danish Kit

Colours:



603495

Child safety D-ring

Colours: Transparent



CWF non-slip child safety orb

Colours: Transparent



P-Clip child safety device

Colours: Transparent



8041017T201554

17mm Pocket tape

Colours:



Colours:



4mm Plastic rods -3mtrs long

Colours: Transparent



2995

Aluminium bottom bar weight (25mm x 3mm, 162g)

Colours:



101.0720.000

20mm Velcro loop tape (sew on)

Colours:



Charger Li-Ion motors and battery



Battery to Electric Transformer

Box QTY: 1 pcs



Somfy Battery Pack Li-Ion 12V 2600mAh



ACCESSORIES / DANISH KIT




































CWF PELMET

ALUMINIUM CURTAIN SYSTEM

Sleek aluminium, made-to-measure pelmet designed to accept 63mm, 89mm or 127mm fabric insert to match blind fabric or other soft furnishings. Available in three colours; White, Silver and Gold. Returns to the wall are mitre cut and supplied with return clips. A cornice can be used alone or as a finishing touch to cur tains or other window treatments, of fering a clean, tailored look, which integrates the whole space cohesively. Our pelmet tracks come in 3 sizes and can be made to measure.

FEATURES














TECHNICAL INFO



Applications : Domestic, Contract Use : Blind pelmet, Curtain pelmet

Material : Aluminium Accessories : Plastic/metal Sizes: 63mm, 89mm, 127mm

Length: 600cm Thickness: 1.0 -1.2 mm Returns: 7cm (when applicable)

AVAILABLE COLOURS








Silver

BENDING OPTIONS

















*If the curtain track is made with bends, the maximum weight limit will be halved.

ACCESSORIES / PELMET / HAND DRAWN































CWF CHAIN

Simply choose a set size from our continuous chain packs, or choose from our choice of contract bulk quantities across a selection of metal or plastic colours. In addition to the extensive pre-packed chain sizes, we also offer a cut to length service where we cut and join your chain to the exact length you require.

COLOURS







50CM CONTINUOUS CHAIN




100CM CONTINUOUS CHAIN




LONG CONTINUOUS CHAIN - VARIOUS SIZES



LONG CONTINUOUS CHAIN - VARIOUS SIZES - CONTINUATION



PRE-PACKED BREAKAWAY CONTINUOUS CHAIN LOOPS



METAL CHAINS

CHAIN ROLLS





METAL CHAIN ROLLS CONTINUATION











CHAIN ACCESSORIES





Box QTY: 1000 pcs



310205

Clear plastic chain joiner

Box QTY: 10 pcs



Box QTY: 10 pcs





IMPORTANT INFORMATION*

PRICES

The Company reserves the right to change prices and specifications without prior notice within the current price list.

All prices are exclusive of V.A.T.

ORDER FORMS

We request that order forms are completed when placing any orders.

METHODS OF PAYMENT

We accept payments in Euros and Sterling.

Euro Account

Bank: Allied Irish Bank.

Account No: 02003070 Sort Code: 93-21-75

IBAN: IE59 AIBK 9321 7502 0030 70

Sterling Account

Bank: First Trust Bank
Account No: 19391-069
Sort Code: 93-80-76

IBAN: GB04 FTBK 9380 7619 3910 69

Credit/Debit Cards

We accept all major credit/debit cards.

Cheques

Cheques should be made payable to Corcoran Window Furnishings Ltd.

Sage Pay

Pay securely online through a wide range of payment types.

RETURNS

Corcoran Window Furnishings do not accept returns but some exceptions do apply. Please read our full terms and conditions for details.

In cases where items are to be returned, prior agreement must be made with CWF Ltd, before items are returned. Items should be carefully repackaged and returned in the condition received.

PRODUCTION LEAD TIME

Please note, orders only proceed to production once payment is received or if you have an up to date credit account with us.

| Made-to-Measure Item | Estimated Production Time | |
|---------------------------|---------------------------|----------|
| Roman Blind Headrail Kits | Order by 10am | same day |
| | Order after 10am | next day |
| Curtain Tracks | 4 working days | |
| Roller Blinds | 5 working days | |
| TwinTex Blinds | 10 working days | |
| Roman Blinds | 10 working days | |
| Curtains | 15 working days | |

The production lead times above are for guideline purposes, we always aim to dispatch orders sooner wherever possible.

CARRIAGE

| Delivery Area | Item Description | Estimated Cost | Per |
|---|-------------------------------|-------------------|--------|
| External Courier Republic of Ireland & Northern Ireland Ri | Up to 1.2 meters | €/£7.00 | parcel |
| | 1.2 meters to 3 meters | €/£14.00 | parcel |
| | Bent Profiles | €/£28.00 | parcel |
| | Rigid parcels over 3 metres | €/£63.00 | parcel |
| CWF Courier Republic of Ireland & Northern Ireland | Up to 3.8 meters | €/£10.00 | parcel |
| | Bent Profiles | €/£28.00 | parcel |
| | Rigid parcels over 3.8 meters | €/£55.00 | parcel |
| UK Mainland | Rigid parcels up to 3 meters | QUOTED | parcel |
| | Rigid parcels under 3 metres | QUOTED | parcel |

Carriage charges may increase at any time to be in-line with our third party Courier supplier costs.

Special Deliveries to none business address (ie. Fitting Address) will incur an additional €/£20.00 Charge.

DELIVERY

| Delivery Area | Estimated Delivery | |
|---------------------|--------------------|--|
| Republic of Ireland | 1/3 days | |
| Northern Ireland | 1/3 days | |
| UK Mainland | QUOTED | |

Please note, we cannot guarantee specific delivery dates or times.

^{*}Please refer to full Terms & Conditions on the following pages.

CORCORAN WINDOW FURNISHINGS

CONDITIONS OF SALE

1. DEFINITIONS

In these Conditions, the following words will have the following meanings: 'the Company' shall mean Corcoran Window Furnishings 'the Goods' shall mean the products, articles or things which are referred to in the order of the Buyer. 'the Buyer' shall mean the corporate entity or firm or person buying the goods.

2. TRAINING

The Company offers free training days of our products on a monthly basis, this is to ensure that the Buyer has an extensive knowledge of our products. As a result, the Company will not be responsible to specify a product or manufacturing process for the Buyer.

3. MAKING THE CONTRACT

No sales person agent or employee of the Company is an authorized representative nor authorized either to confirm or vary these Conditions or to make any representation or promise on the Company's behalf.

Title to *the Goods* shall remain vested in (the Seller) and shall not pass to (the Buyer) until the purchase price for (the Goods) has been paid in full and received by (the Seller).

ORDERS

- (a) All orders placed by the Buyer will be governed by these Conditions.
- (b) Orders can be received by the Company in the following ways: Email, Text or Fax.
- (c) Where possible the Company does not accept orders over the Telephone. If in extreme circumstances an order is taken over the phone, the order will still need to be confirmed by the Buyer. The Company will send via either email, text or fax the order in written form to the Buyer for confirmation from the Buyer. If the order is not confirmed it cannot be processed.
- (d) The Company request that all orders for made to measure items are given via order forms supplied by the Company. Failure to fill in the required forms may result in delayed or suspended orders. Errors made to the order, due to failure to fill in the form, will be the sole responsibility of the Buyer and the Company will demand full payment for such items.
- (e) The Company makes use of an order form for certain products that will need to be completed in order to have the order processed.
- (f) It is the responsibility of the Buyer to ensure that all the details for the Company to complete the order are given when placing the order.
- (g) The Company only accepts measurements in a WIDTH x DROP format. It is the Buyers responsibility to ensure that all measurements are sent to the Company in that format. The Company does not take responsibility for made to measure items where the measurements were given incorrectly.
- (h) If an order has not been processed in any way we will accept cancellation. Should we have pro-

- (j) Photography in any of our brochures, pricelists, website or any other visual material used by the Company to provide visual information, is for guidance and we always recommend selections should be made from point of sale or samples available.
- (k) All Made-to-Measure items are produced in accordance with the Buyers instructions. The Company does not take responsibility for misgiven information and in turn incorrectly made items. Order forms should be filled in to confirm instructions.
 - (i) Please allow sufficient fabric for hems when calculating fabric quantities, this is also noted on your order forms. We will not be responsible for delays caused due to not enough fabric being supplied. It is the Buyers responsibility to calculate fabrics quantities, including pattern repeats and hems.
 - (ii) All fabric must be clearly marked as to which is the FRONT and TOP of the fabric. CWF Ltd will not be held responsible for blinds made upside-down or inside-out, if not clearly marked.
 - (iii) If you supply the fabric, CWF will not be held responsible for any blinds manufactured with flaws in the fabric.
 - (iv) If a product is damaged or not to your satisfaction, the product must be returned to CWF premises for inspection. If not returned, there is nothing more the Company can do to facilitate the Buyer. The Company will not call to customers home to examine or investigate blinds, unless the Company decide to make a special case of the situation. The Company will not remake or replace such products, without viewing and examining the original product here on our premises.
 - i. The company's liability under Condition 4(a) shall be limited to repairing or replacing the damaged or as the case may be the lost goods that the Company originally supplied (no third-party products from other companies will be replaced or items that were supplied to us by the customer) and the Company shall not be under any other liability there under whatsoever.
 - (v) All measurements for blinds and curtains must be given in accordance with the order form.
 - (vi) In accordance with the Child Safety Standard EN13120, all blinds will be dispatched with 1mtr chains unless installation heights are provided. It is the fitter's responsibility to then adjust chains on site if necessary.
 - (vii) All curtains or roman blinds, whether machine sewn or hand stitched, have the risk of light penetrating through the holes created when manufacturing the curtains. We will not accept responsibility for these holes created, particularly when using blackout lining. It is the Buyer's responsibility to explain and agree this with their customer prior to ordering.

6. PRICE AND PAYMENT

- (a) All Prices are those ruling at the date of acceptance of order by the Company and are net exclusive of VAT and carriage.
- (b) Credit accounts Buyers, unless otherwise stated all invoices are due for payment 30 days from date of Statement. Overdue accounts will be placed on hold if the account is not settled within a maximum of 15 days from the payment due date.
- (c) The Company reserves the right to charge interest on all overdue accounts at 3% per annum above the bank rate. Such interest will be deemed to accrue on a day to day basis from the date payment becomes due under Clause 6(d)
- (d) Pay in advance Buyers can pay via online banking, sage pay (link emailed with invoice), card payment over the phone, cheque, or cash in person.
- (i) Once notified of total amount due, it is the Buyers responsibility to pay the invoice in a timely matter. The Company will not be responsible or liable in any way, for delays with orders due to late payment
- (ii) Online bank payments may take approximately 3 working days to show in our accounts, please notify the Company with proof of payment within this timeframe to avoid delays with orders.
- (iii) Orders only begin manufacture once payment or proof of payment is received.
- (e) The Company reserves the right at any time prior to delivery of the Goods to adjust the price to take account of any variation in any duty payable by the Company directly or indirectly, the cost of raw materials, labour or services or the cost of imported goods due to exchange rate fluctuations.
- (f) Where a Buyer's local currency differs from the Company an average exchange rate that is updated on a monthly basis in line with exchange rate fluctuations will be in effect.
- (g) It is not the responsibility of the Company to continually contact the Buyer for payment of goods should payment need to be provided before goods can shipped.
- (h) Prices on branded products are based on the current pricelist and maybe subject to change.

7. DELIVERY

(a) The Company shall be deemed to have delivered the goods either when the goods are dispatched from the Company's premises or (as the case may be) when the goods are ready for collection at the Company's premises.

- The Company cannot accept any responsibility for delays in orders due to a delay in confirming full order details and/or payment of the goods. (f) Please allow the following approximate dispatch time frames; (i) 15 x working days for Curtains (once both fabric & instructions are received). (ii) 10 x working days for Roman Blinds & TwinTex blinds (once both fabric & instructions are received). (iii) 5 x working days for Roller Blinds (8 x working days during busy periods). 4 x working days for Curtains Tracks. (iv) (v) Same day dispatch where possible or 1-day dispatch for Roman Blind Kits With regards to condition 7(f), although the Company aims to adhere to the above time-frames, or improve where possible, during busier periods, these dispatch time frames may extend. The Company will not be liable in any way for costs accrued to the Buyer for goods dispatched outside of these time frames. 8. RETURNS Corcoran Window Furnishings do not accept returns but the following exceptions do apply. Faulty: (a) (i) If an item is faulty upon delivery, the Buyer needs to notify the company no later than 8 working days after delivery date. The faulty or damaged item needs to be returned to the Company for an inspection before any action can be taken. Returned goods need prior arrangement. Incorrectly Ordered: (b) (i) If in the case of an item being incorrectly ordered by the Buyer, The Company will not accept the return unless in extreme circumstances and with prior approval from management. There will be a €20.00 restocking charge on each item returned.
- cut lengths of trimmings, cut length of linings, all made to measure items, paint to order and any other item customized for Buyer.

Products that cannot be returned or cancelled include, but not limited to, cut lengths of fabrics,

- (i) All parcels outside of the island of Ireland will have to be quoted per order.
 - (c) Please note, as courier services are predominantly outsourced, the Company carriage charges to the Buyer may change at any time to be inline with price increases from our courier suppliers. We will notify the Buyer as soon as possible to notify them of such increases as they occur.
 - (d) The Company does not take any responsibility for goods delivered to an address that is different to the Buyers registered address.

10. COLLECTIONS:

- (a) CWF Ltd offer a free collection service within the Rep of Ireland or Northern Ireland for any fabric being sent to use for the manufacture of bespoke curtains, blinds, cushions etc.
- (b) Any other collections that are required are based on carriage charges in condition (9)
- (c) When arranging collections, we do our best to arrange them the same day, however please an extra day to avoid disappointment.

11. DAMAGED IN TRANSIT

- (a) The Company shall not be responsible for damage to any of the goods or loss of the goods or part thereof in transit unless the buyer gives notice of a claim to the Company and to the carrier.
 - (i) In the case of damage within 24 Hours after having received the goods
 - (ii) In the case of loss within 5 working days of the date of the invoice.
- (b) The company's liability under Condition 11(a) shall be limited to repairing or replacing the damaged or as the case may be the lost goods that the Company originally supplied (no third party products from other companies will be replaced or items that were supplied to us by the customer) and the Company shall not be under any other liability there under whatsoever.

12. WARRANTIES

- (a) If within 14 days of receipt of the goods by the Buyer any of the goods shall be found to be defective the Company may at its option either repair or replace any part of the goods or make an equivalent quantity of the goods available to the buyer free of charge ex-works or repay a corresponding proportion of the Price to the Buyer but shall not be under any other liability.
 - (i) Under Condition 10(a) the company may request the said goods to be returned to Company premises for inspection, prior to any repair or replacement being agreed or made. Failure to

- (d) Except to the extent provided for in Conditions 12(a) the Company shall not be liable for any loss, damage or injury however caused or arising and shall not be liable for any indirect or consequential loss whatever and however caused.
- (e) All descriptions, representations, drawings and other particulars furnished or made orally by the Company or in catalogues, price list or other documents issued by the company are given for general information purposes only and the buyer acknowledges that it is not entering into the Contract in reliance upon any such description, representation drawing or other particular.
- (f) Without prejudice to the generality of Condition 12(e) the company gives no warranty and makes no representation that any sale by the Buyer of the goods will be free from infringement of any patent of similar protection owned or controlled by any third party. Where the goods are produced by the company in accordance with the Buyer's specifications or drawings, the Buyer shall indemnify the Company against all costs, claims, damages and expenses to which the Company may become liable as a result of the infringement or the alleged infringement of any patent registered design or any other intellectual property right.

13. RETENTION OF TITLE

- (a) The property of the goods will remain in the Company and the Buyer will hold the goods as bailed for the Company until payment in full of the Price (in the Condition referred to as "payment")
- (b) The Buyer shall keep the goods separate and clearly identified as the property of the Company until Payment.
- (c) If the Buyer shall (before Payment) sell the goods to any third party (in Condition referred to as "the Customer") it shall hold the proceeds of sale as the fiduciary of the Company pending Payment and shall if the Company so require authorize and direct the Customer to pay the Company all sums due to the buyer in respect of the goods so sold and assign to the Company the debt owed to the buyer by the customer.
- (d) Any sale as is referred to in Condition 13(c) is authorized by the Company only if made in the ordinary course of the Buyer's business.
- (e) The goods shall remain the exclusive property of the Company notwithstanding that they may be converted into Products (as hereinafter defined) and all the Company's rights in the goods shall extend to Products provided that the Company's title shall not extend to any goods supplied by a third party and the Company shall not lay claim to the proceeds of the sale of any goods so supplied.
- (f) The Company may enter upon the Buyer's premises without notice and recover the goods which have not been paid for in full and as between the Buyer and the Company this Condition will constitute the authority of the Buyer to the Company to enter on the premises of any other person holding the goods as the Buyer's agent and on whose property the goods may be and to remove the goods.
- (g) For the purpose of Condition 13(e) "Products" shall mean any goods supplied by the Company

(b) The Company's right under Conditions 14(a) shall be exercised by written notice to the Buyer and in the event of such notice being given, the Contract and (as the case may be) any such other contract shall terminate on receipt of the notice by the Buyer and the Company shall be relieved of all liability under the contract and any such contract.

15. FORCE MAJEURE

- (a) The Company shall not be liable for any failure to deliver the Goods arising from circumstances outside the Company's control. Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lock-outs, Government action or regulations (whether of the Republic of Ireland or otherwise), delay or failure by suppliers, accidents and shortages of materials, labour or manufacturing facilities.
- (b) Should the Company be prevented from delivering in the circumstances set out in sub-clause 15(a) it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.
- (c) If the circumstances preventing delivery are still continuing 3 months after the notice then either party may give written notice to the other cancelling the contract.
- (d) If the contract is cancelled under the provision of this Clause the Company will ensure that any funds that have been paid by the Buyer are made available as a credit on their account, for them to use for any further orders.

16. NOTICES

Any notice to be given under these Conditions may be delivered or be sent by prepaid post or registered courier, addressed to the party to be served at its registered office for the time being or (if not a company) the address for that party last known to the party giving the notice. Notices served by post (except where expressly provided otherwise) be deemed served on the second business day after the date of posting. For the purposes of this Condition 14 "business days" means a day on which banks are open for business in the place both of posting and of address of the notice.

17. MISCELLANEOUS

- (a) Where the Buyer has specified that the goods are to be of a certain colour or size such specification shall be subject to reasonable commercial variation.
- (b) The Company may at its absolute discretion make a reasonable storage charge for custody for all goods standing to the credit of the Buyer or to the Buyer's order.

- (g) Clause heading are for ease reference only and do not affect construction.
- 18. IMPORTANT GENERAL INFORMATION:
 - (a) Please quote our product reference numbers wherever possible.
 - (b) The Buyer should not sign for any delivery unless they have first checked their goods. Any goods signed for in good condition, which subsequently are noted as damaged when unparcelled, the Company or the Courier will not accept any liability for any damaged goods.
 - (c) We regret that the Company cannot accept responsibility for fabric faults once the fabric has been cut by the Buyer.
 - (d) If the Buyer's customer cancels the order after the order has been sent for manufacture, we cannot except cancellation of same goods.
 - (e) We reserve the right to withdraw any designs, colours, products etc. (Due to unforeseen circumstances)
 - (f) We advise the Buyer not to book a fitter or any other trades person to undertake work until the Buyer has received and checked all the correct supplies.
 - (g) Photography is for guidance only and selections should be made from shade cards, samples etc provided.
 - (h) If a product is damaged or not to the Buyer's satisfaction, the product must be returned to the Company's premises for inspection. If not returned, there is nothing more the Company can do to facilitate you. The Company will not call to the Buyer's customers home to examine or investigate blinds, unless the Company decide to make a special case of the situation. The Company will not remake or replace such products, without viewing and examining the original product here on the Company's premises.
 - (i) We cannot accept any responsibility for any costs if the Buyer does not follow this advice.
 - (j) We reserve the right to refuse credit.





CORCORAN WINDOW FURNISHINGS LTD.

Email: sales@cwf.ie Phone: (044) 937 1038

Culleendarragh, Multyfarnham Co. Westmeath, N91 EDE6