



CWF 1400

CORD DRAWN CURTAIN TRACK SYSTEM



CWF 1400

CORD DRAW CURTAIN TRACK SYSTEM

Elegant profile with same appearance on both sides for room dividing. Ideal for heavy stage curtains, conference rooms, sports halls and very heavy domestic curtains. Effortless closing of curtains up to 40kg with smooth ball bearing roller gliders and heavy-duty pulleys. Can be made up to 18m in length.

FEATURES



Cord Drawn



Bendable




Ceiling Mount



Wall Mount

TECHNICAL INFO



Applications : Domestic, Contract
 Use : Curtain Theaters, Museums, Hotels etc.
 Material : Aluminium
 Accessories : Plastic/metal
 Track width : 4 mm
 Ext. dimensions: 23 mm x 32 mm
 Length : Up to 1800 cm
 Thickness : 1.0 -1.2 mm
 Load : Maximum 40 kg*
 Bending : 47 cm radius
 Recommended glider : 490/610/100

- CWF 1400 Standard (unless specified):
- Single cord RHS
- Split draw
- 250cm cord drop
- Ceiling fix bracket
- Wheel runner





AVAILABLE COLOURS



White



BENDING OPTIONS



*If the curtain track is made with bends, the maximum weight limit will be halved.



ACCESSORIES / CWF 1400 / HAND DRAWN


Box QTY: 6m x 5



CWF 1400
Profile CWF 1400

Colours:

Box QTY: 10 pcs



1410
Cord mechanism set Left and Right

Colours:

Box QTY: 200 pcs



490/610/100
Wheel runner with ball bearing wheel

Colours:

Box QTY: 50 pcs



1413
Master overlap arm

Colours:


Box QTY: 50 pcs



4907000004-01
Ceiling fix bracket

Colours:


Box QTY: 10 pcs



591
Extendible Bracket - 10.5cm to 15.5cm

Colours:

Box QTY: 10 pcs



592
Extendible Bracket - 16.5cm x 24.5cm

Colours:

Box QTY: 1 pcs



387810
Square Bracket Decorative Square 10cm

Colours:

Box QTY: 10 pcs



1415
6cm - 20cm extendible wall bracket

Colours:

Box QTY: 200 m



1411
5mm cord


Box QTY: 10 pcs



1412
Cord conductor

Colours:


Box QTY: 10 pcs



6124
Cord tensioner

Colours:

Box QTY: 10 pcs



1416
Joiner

Colours: